



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/731,548

12/05/2003

Peter Szpak

MWS-101

4558

26694

7590

06/26/2008

VENABLE LLP

P.O. BOX 34385

WASHINGTON, DC 20043-9998

EXAMINER

KE, PENG

ART UNIT

PAPER NUMBER

2174

MAIL DATE

DELIVERY MODE

06/26/2008

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/731,548	<b>Applicant(s)</b> SZPAK ET AL.	
	<b>Examiner</b> SIMON KE	<b>Art Unit</b> 2174	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☒ Responsive to communication(s) filed on 02 May 2008.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 1,3-16,18-25,27-33 and 37-40 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,3-16,18-25,27-33 and 37-40 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)          | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

### **ETAILED ACTION**

This action is responsive to communications: Amendment, filed on 5/22/08.

Claims 1, 3-16, 18-25, 27-33, and 37-40 are pending in this application. Claims 1, 16, 30, 31, 32, and 33 are independent claims.

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 3-5, 7-16, 18-20, 22-25, 27-33 and 37-40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Coad et al. ("Coati" US Patent No. 6,851,105) in view of Little ("Little" US Patent 7,047,518)

Regarding independent claim 1, Coad teaches a method for generating embedded code from a graphical model (i.e. compare graphical model and generated embedded code in FIGS. 9-12 et seq. of Coad), comprising the steps of: prompting a user to specify the embedded code from a plurality of embedded code (i.e. "Display pattern options corresponding to selected element type" in FIG. 2 et seq. of Coad) and each embedded code relating to a characteristic of code to be generated from the graphical interface. (see Coad; col. 10 "table 1" teach pattern is

Art Unit: 2174

related a characteristic of the code) Coad does not teach generating code for a code generation goal, the at least one code generation goal being used to generate embedded code from the graphical model in a graphical modeling environment; Changing parameters of the graphical model that are inconsistent with the at least one code generation goal;

Little teaches generating code for a code generation goal, (see Little; col. 10, lines 25-55; The application model is a code generation goal) the at least one code generation goal being used to generate embedded code from the graphical model in a graphical modeling environment; (see Little; col. 10, lines 25-55) Changing parameters of the graphical model that are inconsistent with the at least one code generation goal;(see Little; col. 13, lines 40-55; The Class Diagrams and Perform analysis are done based on Main Use Case diagram which is also a code generation goal)

It would have been obvious to an artisan at the time of the invention to include Little's teaching with method of Coad in order provide the user with a software code generator framework based on the user's design diagram goal.

Regarding dependent claim 3, Coad in combination with Little teaches the method of claim 1, further comprising the step of providing feedback to the user regarding the compliance of the graphical model with a selected condition (i.e. "Are variations suitable" in FIG. 2 et seq. of Coad).

Regarding dependent claim 4, Coad in combination with Little teaches the method of claim 3, wherein the user selects the selected condition through a user interface (i.e. see user selection of conditions in FIGS. 4-8 et seq. of Coad).

Regarding dependent claim 5, Coad in combination with Little teaches the method of claim 4, wherein the user interface displays a list of conditions to be checked, and prompts the user to select one or more of the conditions (i.e. see user selection of conditions in FIGS. 4-8 et seq. of Coad).

Regarding dependent claim 7, Coad in combination with Little teaches the method of claim 3, further comprising the step of modifying an object of the graphical model that does not comply with the selected condition (i.e. compare steps 212-214 in FIG. 2 et seq. of Coad, defining special patterns for modifying objects).

Regarding dependent claim 8, Coad in combination with Little teaches the method of claim 7, wherein the step of modifying comprises identifying the object and prompting the user to manually modify a parameter of the object (see Little; col. 13, lines 40-55;).

Regarding dependent claim 9, Coad in combination with Little teaches the method of claim 7, wherein the step of modifying comprises automatically modifying a parameter of the graphical model to comply with the selected condition (i.e. "Automatically ... to elements in

pattern to pattern" in FIG. 15b et seq. of Coad).

Regarding dependent claim 10, Coad in combination with Little teaches the method of claim 1, wherein the graphical model is a block diagram (see also FIG. 9-12 et seq. of Coad).

Regarding dependent claim 11, Coad in combination with Little teaches the method of claim 1, wherein each code generation goal corresponds to a general code generation goal (i.e. "pattern options corresponding to selected element type" in FIG. 2 et seq. of Coad).

Regarding dependent claim 12, Coad in combination with Little teaches the method of claim 11, further comprising the step of prompting the user to specify at least one detailed code generation goal for each specified general code generation goal (i.e. does special property need to be defined" in FIG. 2 et seq. of Coad).

Regarding dependent claim 13, Coad in combination with Little teaches the method of claim 12, further comprising the step of configuring the graphical model to comply with each detailed code generation goal (i.e. "pattern's configurable properties and parameters" in FIG. 2 et seq. of Coad).

Regarding independent claim 14, Coad teaches a method of preparing a graphical model for embedded code generation (i.e. compare graphical model and generated embedded code in

FIGS. 9-12 et seq. of Coad), comprising the steps of: displaying a user interface for prompting a user and automatically changing parameters of the graphical model that are inconsistent (i.e. "Display pattern options corresponding to selected element type" in FIG. 2 et seq. of Coad) and each embedded code relating to a characteristic of code to be generated from the graphical interface. (see Coad; col. 10 "table 1" teach pattern is related a characteristic of the code). Coad does not teach generating code for a code generation goal, the at least one code generation goal being used to generate embedded code from the graphical model in a graphical modeling environment; Changing parameters of the graphical model that are inconsistent with the at least one code generation goal;

Little teaches generating code for a code generation goal, (see Little; col. 10, lines 25-55; The application model is a code generation goal) the at least one code generation goal being used to generate embedded code from the graphical model in a graphical modeling environment; (see Little; col. 10, lines 25-55) Changing parameters of the graphical model that are inconsistent with the at least one code generation goal;(see Little; col. 13, lines 40-55; The Class Diagrams and Perform analysis are done based on Main Use Case diagram which is also a code generation goal)

It would have been obvious to an artisan at the time of the invention to include Little's teaching with method of Coad in order provide the user with a software code generator framework based on the user's design diagram goal.

Regarding dependent claim 15, Coad in combination with Little teaches the method of, claim 14, further comprising the step of identifying a condition that does not comply with the code generation goals specified by the user (i.e. "Check variations for ... errors" in FIG. 15b et seq. of Coad).

Regarding independent claim 16, Coad teaches a method of preparing a graphical model for embedded code generation (i.e. compare graphical model and generated embedded code in FIGS. 9-12 et seq. of Coad), the method comprising the steps of: displaying a graphical user interface through which a user can specify the embedded code to be generated from the graphical model (i.e. "Display pattern options corresponding to selected element type" in FIG. 2 et seq. of Coad); providing feedback to the user regarding compliance of the graphical model (i.e. "Are variations suitable" in FIG. 2 et seq. of Coad) and each embedded code relating to a characteristic of code to be generated from the graphical interface. (see Coad; col. 10 "table 1" teach pattern is related a characteristic of the code). Coad does not teach generating code for a code generation goal, the at least one code generation goal being used to generate embedded code from the graphical model in a graphical modeling environment; Changing parameters of the graphical model that are inconsistent with the at least one code generation goal;

Little teaches generating code for a code generation goal, (see Little; col. 10, lines 25-55; The application model is a code generation goal) the at least one code generation goal being used to generate embedded code from the graphical model in a graphical modeling environment; (see Little; col. 10, lines 25-55) Changing parameters of the graphical model that are inconsistent



with the at least one code generation goal; (see Little; col. 13, lines 40-55; The Class Diagrams and Perform analysis are done based on Main Use Case diagram which is also a code generation goal)

It would have been obvious to an artisan at the time of the invention to include Little's teaching with method of Coad in order provide the user with a software code generator framework based on the user's design diagram goal.

Regarding dependent claim 18, Coad in combination with Little teaches the method of claim 16, acquiring at least one condition; and displaying information regarding compliance of the graphical model with the acquired at least one condition. (i.e. "Are variations suitable" in FIG. 2 et seq. of Coad).

Regarding dependent claim 19, Coad in combination with Little teaches the method of claim 18, wherein the user selects the selected condition through the user interface (i.e. see user selection of conditions in FIGS. 4-8 et seq. of Coad).

Regarding dependent claim 20, Coad in combination with Little teaches the method of claim 19, wherein the user interface displays a list of conditions to be checked, and prompts the user to select one or more of the conditions (i.e. see user selection of conditions in FIGS. 4-8 et seq. of Coad).

Regarding dependent claim 22, Coad in combination with Little teaches the method of claim 18, further comprising the step of modifying an object of the graphical model that does not

comply with the selected condition (i.e. compare steps 212-214 in FIG. 2 et seq. of Coad, defining special patterns for modifying objects).

Regarding dependent claim 23, Coad in combination with Little teaches the method of claim 22, wherein the step of modifying comprises identifying the object and prompting the user to manually modify a parameter of the object (see Little; col. 13, lines 40-55)

Regarding dependent claim 24, Coad in combination with Little teaches the method of claim 22, wherein the step of modifying comprises automatically modifying a parameter of the graphical model to comply with the selected condition (i.e. "Automatically ... to elements in pattern to pattern" in FIG. 15b et seq. of Coad).

Regarding dependent claim 25, Coad in combination with Little teaches the method of claim 16, wherein the graphical model is a block diagram (see FIG. 9-12 et seq. of Coad).

Regarding dependent claim 27, Coad in combination with Little teaches the method of claim 16, wherein each code generation goal corresponds to a general code generation goal (i.e. "pattern options corresponding to selected element type" in FIG. 2 et seq. of Coad).

Regarding dependent claim 28, Coad in combination with Little teaches the method of claim 27, further comprising the step of prompting the user to specify at least one detailed code

generation goal for each specified general code generation goal (i.e. does special property need to be defined" in FIG. 2 et seq. of Coad).

Regarding dependent claim 29, Coad in combination with Little teaches the method of claim 28, further comprising the step of configuring the graphical model to comply with each detailed code generation goal (i.e. "pattern's configurable properties and parameters" in FIG. 2 et seq. of Coad).

Regarding independent claim 30, Coad teaches, in a graphical modeling environment, a medium holding computer-executable instructions for a method, comprising the steps of: displaying a graphical user interface though which a user can specify one or more code to be generated from the graphical model (i.e. compare graphical model and generated embedded code in FIGS. 9-12 et seq. of Coad); and in response, providing feedback to the user regarding compliance of the graphical model (i.e. "Are variations suitable" in FIG. 2 et seq. of Coad) and each embedded code is relating to a characteristic of code to be generated from the graphical interface. (see Coad; col. 10 "table 1" teach pattern is related a characteristic of the code). Coad does not teach generating code for a code generation goal, the at least one code generation goal being used to generate embedded code from the graphical model in a graphical modeling environment; Changing parameters of the graphical model that are inconsistent with the at least one code generation goal;

Little teaches generating code for a code generation goal, (see Little; col. 10, lines 25-55; The application model is a code generation goal) the at least one code generation goal being used to generate embedded code from the graphical model in a graphical modeling environment; (see Little; col. 10, lines 25-55) Changing parameters of the graphical model that are inconsistent with the at least one code generation goal;(see Little; col. 13, lines 40-55; The Class Diagrams and Perform analysis are done based on Main Use Case diagram which is also a code generation goal)

It would have been obvious to an artisan at the time of the invention to include Little's teaching with method of Coad in order provide the user with a software code generator framework based on the user's design diagram goal.

Regarding independent claim 31, Coad teaches, in a graphical modeling environment, a medium holding computer- executable instructions for a method, comprising the steps of: displaying a user interface for prompting a user (i.e. "Display pattern options corresponding to selected element type" in FIG. 2 et seq. of Coad); and automatically changing parameters of the graphical model that are inconsistent with the code generation goals specified by the user (i.e. "Automatically ... to elements in pattern to pattern" in FIG. 15b et seq. of Coad). Coad does not teach generating code for a code generation goal, the at least one code generation goal being used to generate embedded code from the graphical model in a graphical modeling environment; Changing parameters of the graphical model that are inconsistent with the at least one code generation goal;

Little teaches generating code for a code generation goal, (see Little; col. 10, lines 25-55; The application model is a code generation goal) the at least one code generation goal being used to generate embedded code from the graphical model in a graphical modeling environment; (see Little; col. 10, lines 25-55) Changing parameters of the graphical model that are inconsistent with the at least one code generation goal;(see Little; col. 13, lines 40-55; The Class Diagrams and Perform analysis are done based on Main Use Case diagram which is also a code generation goal)

It would have been obvious to an artisan at the time of the invention to include Little's teaching with method of Coad in order provide the user with a software code generator framework based on the user's design diagram goal.

Regarding independent claim 32, Coad teaches, in a graphical modeling environment, a medium holding computer- executable instructions for a method, comprising the steps of: prompting a user to specify for the embedded code (i.e. "Display pattern options corresponding to selected element type" in FIG. 2 et seq. of Coad) and each embedded code is relating to a characteristic of code to be generated from the graphical interface. (see Coad; col. 10 "table 1" teach pattern is related a characteristic of the code). Coad fail to teach generating code for a code generation goal, the at least one code generation goal being used to generate embedded code from the graphical model in a graphical modeling environment; Changing parameters of the graphical model that are inconsistent with the at least one code generation goal;

Little teaches generating code for a code generation goal, (see Little; col. 10, lines 25-55; The application model is a code generation goal) the at least one code generation goal being used

to generate embedded code from the graphical model in a graphical modeling environment; (see Little; col. 10, lines 25-55) Changing parameters of the graphical model that are inconsistent with the at least one code generation goal;(see Little; col. 13, lines 40-55; The Class Diagrams and Perform analysis are done based on Main Use Case diagram which is also a code generation goal)

It would have been obvious to an artisan at the time of the invention to include Little's teaching with method of Coad in order provide the user with a software code generator framework based on the user's design diagram goal.

Regarding independent claim 33, Coad teaches an apparatus comprising: at least one processor; a memory coupled to the at least one processor; and a computer program residing in the memory and being executed by the at least one processor, wherein the computer program includes a wizard for guiding a user through a .process for preparing a graphical model for a code generation process for creating code based on the graphical model (i.e. "Receive a selected element type" and "Display pattern options" in FIG. 2 et seq. of Coad) and each embedded code is relating to a characteristic of code to be generated from the graphical interface. (see Coad; col. 10 "table 1" teach pattern is related a characteristic of the code). Coad does not teach at least one code generation goal specified by the user.

Little teaches generating code for a code generation goal, (see Little; col. 10, lines 25-55; The application model is a code generation goal)

It would have been obvious to an artisan at the time of the invention to include Little's teaching with method of Coad in order provide the user with a software code generator framework based on the user's design diagram goal.

Regarding dependent claim 37, Coad in combination with Little teaches the apparatus of claim 33, wherein the wizard prompts the user to select one or more conditions to be checked in the graphical model (i.e. see user selection of conditions in FIGS. 4-8 et seq. of Coad).

Regarding dependent claim 38, Coad in combination with Little teaches the apparatus of claim 37, wherein the wizard identifies objects in the graphical model that do not comply with the selected conditions (i.e. compare steps 212-214 in FIG. 2 et seq. of Coad, defining special patterns for modifying objects).

Regarding dependent claim 39, Coad in combination with Little teaches the apparatus of claim 37, wherein the wizard modifies objects in the graphical model that do not comply with the selected conditions (see Little; col. 14, lines 20-55).

Regarding dependent claim 40, Coad in combination with Little teaches the method claim 1, Little further teaches where in at least code generation goal is a target application code generation goal, (see Little; col. 10, lines 25-55; The application model is a code generation goal) which is from the from group consisting of: a target application code generation goal; a maximum efficiency code generation goal; an aspect of memory code generation goal; an auto-generated identifier code generation goal; a comment code generation goal; an interface code generation goal; a model combination code generation goal; and a hypertext markup language report code generation goal.

Claims 6 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Coad et al. ("Coati" US Patent No. 6,851,105) in view of Little ("Little" US Patent 7,047,518) further in view of Frid-Nielsen ("Frid-Nielsen" US Patent No. 5,339,433)

Regarding dependent claim 6, Coad in combination with Little teaches the method of claim 3, wherein the step of providing feedback to the user regarding the compliance of the graphical model with a selected condition comprises: Display non-comply with the selected condition (i.e. compare "Check variations for ... errors" in FIG. 15b et seq. of Coad with)

They fail to teach displaying a hyperlink for linking the selected condition to an object of the graphical model.

Frid-Nielsen teaches displaying a hyperlink for linking the selected condition to an object of the graphical model. (see. in FIG. 5 et seq. of Frid-Nielsen).

It would have been obvious to an artisan at the time of the invention to include Frid-Nielsen's teaching with method of Coad and Little in order provide the user with dynamic access to object graphical model.

Regarding dependent claim 21, Coad in combination with Little teaches the method of claim 18, wherein the step of indicating to the user whether the graphical model complies an object of the graphical model that does not comply with the selected condition (i.e. compare "Check variations for ... errors" in FIG. 15b et seq. of Coad with links in FIG. 5 et seq. of Frid-Nielsen).



They fail to teach displaying a hyperlink for linking the selected condition to an object of the graphical model.

Frid-Nielsen teaches displaying a hyperlink for linking the selected condition to an object of the graphical model. (see. in FIG. 5 et seq. of Frid-Nielsen).

It would have been obvious to an artisan at the time of the invention to include Frid-Nielsen's teaching with method of Coad and Little in order provide the user with dynamic access to object graphical model.

### ***Response to Arguments***

Applicant's arguments filed on 5/22/08 have been fully considered but they are not persuasive.

Applicant's argument focused on the following:

A) Whether the combination of the Coad and Little teaches "at least one code generation goal being used to generate embedded code from the graphical model in a graphical modeling environment, the at least one code generation goal relating to a characteristic of the characteristic of code to be generated from the graphical model."

A) The examiner does not agree for the following reasons:

During patent examination, the pending claims must be "given >their< broadest reasonable interpretation consistent with the specification." > In re Hyatt, 211 F.3d 1367, 1372, 54 USPQ2d 1664, 1667 (Fed. Cir. 2000). Although the claims are interpreted in light of the

specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Applicant always has the opportunity to amend the claims during prosecution, and broad interpretation by the examiner reduces the possibility that the claim, once issued, will be interpreted more broadly than is justified. *In re Prater*, 415 F.2d 1393, 1404-05, 162 USPQ 541, 550-51 (CCPA 1969).

In this case, the combination teaches this limitation because Coad teaches a code generation method that generated embedded code for graphical environment, (see Coad, see Coad; col. 10 "table 1" teach pattern is related a characteristic of the code) where user can select these embedded code based on the characteristics of the these code; (see Coad; col. 10 "table 1" teach pattern is related a characteristic of the code such as security "read-only", state based behaviors, etc) and Little allows a user to create graphical models to according to his/her requirement specifications / implementation goals and to implement them through code generation program. (see Little, col. 13, lines 40-55; see Little, col. 15, lines 55 - col.16, lines 54) Therefore, the combination teaches the "at least one code generation goal being used to generate embedded code from the graphical model in a graphical modeling environment, the at least one code generation goal relating to a characteristic of the characteristic of code to be generated from the graphical model."

B) Whether the combination teaches "prompting a user to specify at least one code generation goal from a plurality of code generation goals."

B) In this case, the combination teaches this limitation because Coad allows user to select a embedded code from a plurality of embedded code, (i.e. "Display pattern options corresponding to selected element type" in FIG. 2 et seq. of Coad) where each embedded has its own character; (see Coad, see Coad; col. 10 "table 1" teach pattern is related a characteristic of the code) and Little allows its user to design, select, and implement his/her specification requirement/ or implementation goals. (see Little, col. 13, lines 40-55; see Little, col. 15, lines 55 - col.16, lines 54) Therefore the combination teaches "prompting a user to specify at least one code generation goal from a plurality of code generation goals."

C) Whether the combination teaches "generating embedded code in accordance with the at least one code generation goal."

C) Little teaches this limitation because it Little allows a user to create graphical models to according to his/her requirement specifications / implementation goals and to implement them through code generation program. (see Little, col. 13, lines 40-55; see Little, col. 15, lines 55 - col.16, lines 54)

### ***Conclusion***

**THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

The following patents are cited to further show the state of the art with respect to automatic software production system:

Iborra et al. 2007/0168907: discloses a automatic software production system.

### ***Contact Information***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SIMON KE whose telephone number is (571)272-4062. The examiner can normally be reached on M-Th and Alternate Fridays 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David A. Wiley can be reached on (571) 272-3923. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/731,548  
Art Unit: 2174

Page 20

Peng Ke  
/Peng Ke/  
Primary Examiner, Art Unit 2174